

## VENICUT 50



HEATNOCUT® KNITTED GLOVE - COWHIDE LEATHER PALM

Ref. VECUT50



### Product specifications

HEATnocut® high performance polyethylene fibre. Cowhide on palm and fingertips. Gauge 10.

Support: HEATnocut® fibre (high performance synthetic fibres).  
Split cowhide.

#### COLOUR

Yellow-Grey

#### SIZE

09, 10

### Product Use - Risks



Heat



Cutting / Perforation



Wearing



Construction / Civil engineering



Heavy industry



Light industry



Services / Logistics



Oil / Gas



Mining

Product's highlights & user's benefits



HEATnocut® High Performance Polyethylene

Contact heat (250°C for 15 seconds) and cut resistance  
Very good level of abrasion resistance

Split leather

Reinforced abrasion resistance  
Suitable for heavy work

Leather reinforcement

Ideal for heavy work



Cut level 5



Cut level D

## Certifications and Standards



### RÈGLEMENT (UE) 2016/425

#### EN420:2003+A1:2009 General requirements

1: Dexterity (from 1 to 5)

#### EN388:2016 Protective gloves against mechanical Risks (Levels obtained on the palm)

4: Resistance to abrasion (from 1 to 4)

X: Resistance to cutting (from 1 to 5)

4: Resistance to tear (from 1 to 4)

3: Resistance to puncture (1 to 4)

D: Resistance to cutting by sharp objects (TDM EN ISO 13997) (from A to F)



#### EN407:2004 Protective gloves against Heat & Fire risks (X = Unrealized test)

X: Resistance to flammability (from 1 to 4)

1: Resistance to contact heat (from 1 to 4)

X: Resistance to convective heat (from 1 to 4)

X: Resistance to radiant heat (from 1 to 4)

X: Resistance to small projections of liquid metal (from 1 to 4)

X: Resistance to large projections of molten metal (from 1 to 4)



### USA STANDARDS



#### ANSI-ISEA 105:2016 Hand Protection

A4: Resistance to cutting by sharp objects (from A1 to A9)

## References

References	Bar code	COLOUR	SIZE		
VECUT5009	3295249157289	Yellow-Grey	09	60	12
VECUT5010	3295249157296	Yellow-Grey	10	60	12