



Head protection

# BARRIER 2

## WELDING

Welding mask with adjustable tinting suitable for all welding jobs



### Applications

- Building
- Finishing works / Craftsmanship
- Light industry
- Maintenance
- Automotive

### Certifications and norms



#### EN 379

1/1/1/2  
4/5-13

#### EN175

B

#### EN166

1 B

#### ANSI Z87.1 - IMPACT

Z87 W4/5-9/9-13

### Protects against risks



Heat



Shock



UV / IR



Head protection

# BARRIER 2

WELDING

Welding mask with adjustable tinting suitable for all welding jobs

## Standards - Details

## Technical details

Use	Outside
Type of eye protection	Welding helmet
Lens matériel	Polycarbonate
Lens support	Monobloc
Lens color	Welding 13
Optical class	1
Lens protection class	4
Lens characteristic	Straight
Mechanical strength (lens)	B
Frame color	Black, Silver
Weight (g)	500








# BARRIER 2

## WELDING


Head protection

Welding mask with adjustable tinting suitable for all welding jobs

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
BARRIER2	Black-Grey	Adjustable	BARRIER 2	3295249208721	13295249208728	6	1	7.0 kg	32.8 cm	73.2 cm	52.4 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height